San Joaquin Valley Unified Air Pollution Control District

PERMIT UNIT: C-261-4-2 **EXPIRATION DATE:** 5/31/2003

EQUIPMENT DESCRIPTION:

27.44 MMBTU/HR C-12 LINE INCLUDING FOREHEARTH #2; FIBERIZER CONTROLLED BY 3 FISHER-KLOSTERMANN (F-K) CYCLONIC SCRUBBERS; COLLECTION & SHREDDING CONTROLLED BY 2 CERTAINTEED CYCLONES/F-K SCRUBBERS/C-12 WET EP; BAGGING CONTROLLED BY BAGHOUSE #2. TITLE V

Permit Unit Requirements

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 3. Fiberglass production on the C-12 Line shall not exceed 260 metric tons per day and 94,900 metric tons per year. A permanent record of daily production shall be maintained and shall be available for inspection by the District, EPA and CARB. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 4. With approval from EPA, CertainTeed corporation may choose to conduct performance tests at production and firing rates less than maximum design capacity and may choose to test only the fuel expected to be used in the next 12-month time period, provided that actual plant production does not exceed the tested rate and provided that only the fuel for which tests have been performed is used. The emission rate for NOx established by the first test at the specific production rate (less than maximum plant capacity) shall become the applicable emission limit for NOx at the production rate tested, as in condition IX.B of PSD permit SJ 80-02. A fuel switch or an increase in production levels beyond the maximum tested rate for any product line requires aproval by EPA prior to such production increases or fuel switch and may require additional performance testing. [PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 5. EPA shall be notified by letter 30 days prior to a production increase in order to make a determination of whether additional performance testing is required. [PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 6. Only PUC regulated natural gas shall be used. [District NSR Rule; PSD ATC SJ 80-02; Madera County Rule 404] Federally Enforceable Through Title V Permit
- 7. A permanent record of daily production shall be maintained and shall be available for inspection by EPA, CARB and the District. [District Rule 2520, 9.4.2; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 8. Source tests shall be performed at least on an annual basis and at such other times as may be specified by the District or EPA. Tests shall comply with the procedures in 40 CFR (Part 60.8) for PM, NOx, SOx, and VOC. [District NSR Rule; District Rule 4354, 6.3; District Rule 2520, 9.4.2; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit

- 9. PM shall be sampled according to the modified version of EPA's Method 5 which includes the impinger catch. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 10. The source tests for PM shall be performed at the outlet of the wet ESP and the final stack. The source tests for NOx, SOx, and VOC shall be performed at the final stack. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 11. The District and EPA (Attention: Air-5) shall be notified in writing 30 days in advance of the scheduled tests dates to allow time for the development of an approvable source test plan and to arrange for an observer to be present at the test. [District Rule 1081; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 12. The result of each source test shall be submitted to the District and EPA, Region 9 (Attention: Air-5) within 60 days after the test. [District Rule 1081; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 13. The outlet of the wet ESP and the final stack shall be so fitted as to permit performance of tests for pollutants (per 40 CFR 60, Appendix A) using portable equipment in a manner as approved by the EPA, CARB and the District. [District Rule 1081; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 14. CertainTeed shall continuously operate and maintain the wet cyclonic scrubbers for the pretreatment of the gas stream upstream of the C-12 wet ESP. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 15. Both the cyclonic scrubbers and the C-12 wet ESP shall be functioning as air pollution abatement devices whenever there is glass production on the C-12 Line. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 16. Baghouse #2 shall be functioning as air pollutant abatement device whenever there is glass production on the C-12 Line. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 17. The C-12 wet ESP outlet emissions shall not exceed 4.5 lbs PM/hr nor 108 lb PM/day. [District NSR Rule; District Rule 4202; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 18. The total stack emissions, which result from combining the C-1 dry ESP (PTO C-261-2), C-11 wet ESP (PTO C-261-3) and C-12 wet ESP emissions, shall not exceed 22.8 lb PM/hr. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 19. Natural gas and propane consumption shall not exceed 3.55 million cubic feet per day and 1.295 trillion Btu in any 12 month period. [District NSR Rule; PSD ATC SJ 80-02] Federally Enforceable Through Title V Permit
- 20. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following applicable requirements: District Rules 4201 (12/17/92) and 4202 (12/17/92); and Madera County Rule 404. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 21. Particulate matter emissions shall not exceed 2.6 lb/hour, until EPA approves modification to PSD ATC SJ 80-02 to increase the maximum emission rate. Upon EPA approval, particulate matter emissions shall not exceed 4.5 lb/hour. [PSD ATC 80-02] Federally Enforceable Through Title V Permit